

DOCKET NUMBER: 95176562-004002 (64230-00004USD1)
PATENT

BEST AVAILABLE COPY

IN THE CLAIMS:

This listing of the claims will replace all prior versions, and listings, of claims in the application:

1. (withdrawn) A process for preparing an acellular soft tissue graft for implantation into a mammalian system, comprising: extracting a soft tissue sample with an extracting solution comprising one or more nonionic detergents and one or more endonucleases, to produce extracted tissue; treating said extracted tissue with a treating solution comprising one or more anionic detergents, to produce a treated tissue; washing said treated tissue with a decontaminating solution comprising one or more decontaminating agents to produce said acellular soft tissue graft; and storing said acellular soft tissue graft in a storage solution comprising one or more decontaminating agents.
2. (withdrawn) A process for preparing commercializable quantities of acellular soft tissue grafts for implantation into mammalian systems, comprising: obtaining tissue samples from an acceptable donor; extracting said tissue samples with an extracting solution comprising one or more nonionic detergents and one or more endonucleases, to produce extracted tissue; treating said extracted tissue with a treating solution comprising one or more anionic detergents, to produce a treated tissue; washing said treated tissue with a decontaminating solution comprising one or more decontaminating agents; to produce said acellular soft tissue graft; and storing said acellular soft tissue graft in a storage solution comprising one or more decontaminating agents.
3. (withdrawn) A process for preparing an acellular soft tissue graft for implantation into a mammalian system, comprising: inducing a pressure mediated flow of an extracting solution comprising one or more nonionic detergents and one or more endonucleases, through soft tissue, to produce extracted tissue; inducing a pressure mediated flow of a treating solution comprising one or more anionic detergents, through said extracted tissue, to produce a treated tissue; inducing a pressure mediated flow of a decontaminating solution comprising one or more decontaminating agents through said treated tissue; to produce said acellular soft tissue graft; and storing said acellular soft tissue graft in a storage solution comprising one or more

DOCKET NUMBER: 95176562-004002 (64230-00004USD1)
PATENT

decontaminating agents.

4. (withdrawn) The process of claim 3, wherein said extracting solution is recirculated through said soft tissue graft.
5. (withdrawn) The process of claim 3, wherein said treating solution is recirculated through said soft tissue graft.
6. (withdrawn) The process of claim 3, wherein said decontaminating solution is recirculated through soft tissue graft.
7. (withdrawn) The process of any one of claims 1, 2 or 3, said one or more decontaminating agents comprise one or more antimicrobial agents.
8. (withdrawn) The process of any one of claims 1, 2, or 3, said extracting solution having an alkaline pH.
9. (withdrawn) The process of any one of claims 1, 2, or 3, said extracting solution further comprises one or more organic or inorganic buffers, wherein an alkaline pH is maintained, and an osmolality of the extracting solution which is hypotonic to the cells in said soft tissue is maintained.
10. (withdrawn) The process of any one of claims 1, 2, or 3, wherein said nonionic detergent comprise one or more detergents selected from the group consisting of: polyoxyethylene alcohol, polyoxyethylene isocobol, polyoxyethylene p-t-octyl phenol, polyoxyethylene nonylphenol, polyoxyethylene esters of fatty acids, and polyoxyethylene sorbitol esters.
11. (withdrawn) The process of any one of claims 1, 2, or 3, said treating solution comprises one or more buffers selected from the group consisting of: an organic buffer and an inorganic buffer, wherein an alkaline pH is maintained, and an osmolality of the treating solution which is

DOCKET NUMBER: 95176562-004002 (64230-00004USD1)
PATENT

hypotonic to the cells in said soft tissue is maintained.

12. (withdrawn) The process of any one of claims 1, 2, or 3; said one or more anionic detergents are selected from the group consisting of: sodium dodecylsulphate, sodium dodecylsulphonate, sodium dodecyl-N-sarcosinate, and sodium suramin.

13. (withdrawn) The process of any one of claims 1, 2, or 3, said decontaminating solution comprises ultrapure, endotoxin-free, water solutions of antimicrobial agents, wherein said antimicrobial agents are non-reactive towards said one or more anionic detergents.

14. (withdrawn) The process of any one of claims 1, 2, or 3, said storage solution comprises ultrapure, endotoxin-free, water.

15. (withdrawn) The process of claim 14, wherein said storage solution further comprises one or more antimicrobial agents.

16. (withdrawn) The process of claim 15, wherein said one or more antimicrobial agents comprise one or more members selected from the group consisting of: chlorine dioxide, ethanol, isopropanol, methanol, glycerol, and methylparaben.

17. (withdrawn) The process of claim 16, wherein said chlorine dioxide or said methylparaben are present in said storage solution at a concentration in the range of from 0.001% to 0.1% (v:v).

18. (withdrawn) The process of claim 16, wherein said ethanol, isopropanol, methanol, or glycerol are present in said storage solution at a concentration in the range of from 60% to 90% (v:v).

19. (withdrawn) The process of claim 12, wherein said one or more anionic detergents are present in said treating solution at a concentration in the range of from 0.001% to 10% (w:v).

DOCKET NUMBER: 95176562-004002 (64230-00004USD1)
PATENT

20. (withdrawn) The process of claim 19, wherein said one or more anionic detergents are present in said treating solution at a concentration in the range of from about 0.08% to about 0.35% (w:v).
21. (withdrawn) The process of any one of claims 1, 2, or 3, said one or more endonucleases comprise one or more broad spectrum endonucleases capable of degrading both deoxyribonucleic acids and ribonucleic acids.
22. (withdrawn) The process of claim 21, wherein said one or more broad-spectrum endonucleases comprise one or more recombinant endonucleases.
23. (withdrawn) The process of claim 22, wherein said one or more recombinant endonucleases comprise Benzonase®.
24. (withdrawn) The process of claim 21, said one or more endonucleases are present in said extracting solution at a concentration sufficient to degrade nucleic acids present in said tissue sample.
25. (withdrawn) The process of claim 24, wherein said one or more endonucleases are present in said extracting solution at a concentration of from about 30 IU/ml tissue to about 70 IU/ml tissue.
26. (withdrawn) The process of claim 25, wherein said one or more endonucleases are present in said first washing solution at a concentration of about 50 IU/ml tissue.
27. (withdrawn) The process of any one of claims 1, 2, or 3, said one or more nonionic detergents enhance activity of said one or more endonucleases.
28. (withdrawn) The process of claim 3, said step of inducing a pressure mediated flow of extracting solution is carried out at a flow rate sufficient to carry away solutes which become

DOCKET NUMBER: 95176562-004002 (64230-00004USD1)
PATENT

dissolved in said extracting solution.

29. (withdrawn) The process of claim 28, wherein said flow rate for said extracting solution is from about 5 mls/minute to about 220 mls/minute.

30. (withdrawn) The process of claim 29, wherein said flow rate for said extracting solution is from about 40 mls/minute to about 90 mls/minute.

31. (withdrawn) The process of claim 3, wherein said flow rate for said treating solution is from about 5 mls/minute to about 225 mls/minute.

32. (withdrawn) The process of claim 31, wherein said flow rate for said treating solution is from about 40 mls/minute to about 70 mls/minute.

33. (withdrawn) The process of any one of claims 1, 2, or 3, said treated tissue is washed with a volume of said decontaminating solution sufficient to cause an approximate 1:1000 dilution of a concentration of said treating solution.

34. (withdrawn) The process of any one of claims 1 or 2, wherein said step of extracting is carried out for a period of time of from about 6 hours to about 24 hours.

35. (withdrawn) The process of claim 34, wherein said step of extracting is carried out for a period of time of from about 12 hours to about 16 hours.

36. (withdrawn) The process of any one of claims 1 or 2, wherein said step of extracting is carried out at a temperature of from about 4 °C to about 42 °C.

37. (withdrawn) The process of claim 36, wherein said step of extracting is carried out at a temperature of from about 20 °C to about 27 °C.

DOCKET NUMBER: 95176562-004002 (64230-00004USD1)
PATENT

38. (withdrawn) The process of any one of claims 1 or 2, wherein said step of treating is carried out for a period of time of from about 3 hours to about 12 hours.
39. (withdrawn) The process of claim 38, wherein said step of treating is carried out for a period of time of from about 3 hours to about 6 hours.
40. (withdrawn) The process of any one of claims 1 or 2, wherein said step of treating is carried out at a temperature of from about 20 °C to about 42 °C.
41. (withdrawn) The process of claim 40, wherein said step of treating is carried out at a temperature of from about 20 °C to about 27 °C.
42. (withdrawn) The process of any one of claims 1, 2, or 3, wherein said one or more nonionic detergents are present in said extracting solution at a concentration of from about 0.1% (w:v) to about 10% (w:v).
43. (withdrawn) The process of claim 42, wherein said one or more nonionic detergents are present in said extracting solution at a concentration of from about 0.5% (w:v) to about 2% (w:v).
44. (withdrawn) The process of claim 12, wherein said one or more anionic detergents are present in said treating solution at a concentration of from about 0.001% (w:v) to about 10% (w:v).
45. (withdrawn) The process of claim 44, wherein said one or more anionic detergents are present in said treating solution at a concentration of from about 0.1% (w:v) to about 0.5% (w:v).
46. (withdrawn) A decellularized soft tissue graft which is substantially non-immunogenic.
47. (withdrawn) A decellularized soft tissue graft having tensile properties which approximate

DOCKET NUMBER: 95176562-004002 (64230-00004USD1)
PATENT

tensile properties of normal tissue, following the decellularization process.

48. (withdrawn) The decellularized soft tissue graft of any one of claims 46 or 47, comprising a vein, an artery, or a heart valve.

49. (withdrawn) The decellularized soft tissue graft of any one of claims 46 or 47, comprising a ligament or a tendon.

50. (withdrawn) The decellularized soft tissue graft of any one of claims 46 or 47, comprising fascia, dura mater, pericardium or skin.

51. (withdrawn) The decellularized soft tissue graft of claim 46, wherein said soft tissue graft remains acellular post implantation.

53. (withdrawn) The decellularized soft tissue graft of claim 47, wherein said soft tissue graft remains acellular for at least 6 months post implantation.

54. (withdrawn) The decellularized soft tissue graft of claim 48, wherein said soft tissue graft re-endothelializes on a luminal surface 3 to 6 months post implantation.

55. (withdrawn) A non-immunogenic, acellular soft tissue graft produced by the process as claimed in any one of claims 1, 2, or 3.

56. (previously presented) A process for preparing an acellular soft tissue graft, comprising:
extracting at least one soft tissue sample with a hypotonic buffered extracting solution to produce extracted tissue;

treating said extracted tissue with a first processing solution to produce a first processed tissue;

washing said first processed tissue, in at least one washing solution comprising water to

DOCKET NUMBER: 95176562-004002 (64230-00004USD1)
PATENT

produce washed tissue; and

storing said washed tissue in a storage solution comprising at least one decontaminating agent and water,

wherein said hypotonic buffered extracting solution comprises at least one nonionic detergent and at least one endonuclease, and said first processing solution comprises at least one anionic detergent.

57. (previously presented) The process of claim 56, wherein said extracting solution has an alkaline pH and a hypotonic osmolality, which is hypotonic to cells in said soft tissue sample.

58. (previously presented) The process of claim 57, wherein said extracting solution comprises at least one of polyoxyethylene alcohol, polyoxyethylene isoalcohol, polyoxyethylene p-t-octyl phenol, polyoxyethylene nonylphenol, polyoxyethylene esters of fatty acids, and polyoxyethylene sorbitol esters.

59. (canceled)

60. (previously presented) The process of claim 56, wherein said first processing solution comprises at least one buffer, wherein said extracting solution has an alkaline pH and a hypertonic osmolality which is hypertonic to cells in said soft tissue sample.

61. (previously presented) The process of claim 60, wherein said first processing solution comprises at least one of sodium dodecylsulphate, sodium dodecylsulphonate, sodium dodecyl-N-sarcosinate, sodium laurylsulfate, and sodium suramin.

62. (previously presented) The process of claim 56, wherein said first processing solution or said extracting solution comprises at least one of a monovalent salt, a divalent salt, and an antimicrobial agent, wherein said first processing solution or said extracting solution is reactive with said anionic detergent.

DOCKET NUMBER: 95176562-004002 (64230-00004USD1)
PATENT

63. (previously presented) The process of claim 56, wherein said storage solution comprises ultrapure, endotoxin-free, water.

64. (previously presented) The process of claim 56, wherein said decontaminating agent comprises at least one antimicrobial agent.

65. (previously presented) The process of claim 64, wherein said decontaminating agent comprises at least one of chlorine dioxide, ethanol, isopropanol, methanol, glycerol, and methylparaben.

66-69. (canceled)

70. (previously presented) The process of claim 56, wherein said endonuclease is a broad spectrum endonuclease which degrades deoxyribonucleic acids (DNA) and ribonucleic acids (RNA).

71. (previously presented) The process of claim 70, wherein said broad-spectrum endonuclease is a recombinant endonuclease.

72. (canceled)

73. (previously presented) The process of claim 70, wherein said broad-spectrum endonuclease is present in said hypotonic buffered extracting solution in a concentration sufficient to degrade deoxyribonucleic acids and said ribonucleic acids present in said soft tissue sample.

74. (previously presented) The process of claim 73, wherein said concentration of said broad-spectrum endonuclease is from about 20 IU to about 400 IU per 1 ml volume of tissue.

75. (original) The process of claim 70, wherein an activity of said broad-spectrum endonuclease is enhanced by said one or more nonionic detergents.

DOCKET NUMBER: 95176562-004002 (64230-00004USD1)
PATENT

76. (previously presented) The process of claim 56, wherein said extracting comprises subjecting said soft tissue sample to a pressure mediated flow of said extracting solution.

77. (canceled)

78. (previously presented) The process of claim 56, wherein said treating comprises subjecting said extracted tissue to a pressure mediated flow of said first processing solution.

79. (canceled)

80. (previously presented) The process of claim 56, wherein said washing comprises subjecting said first processed tissue to a pressure mediated flow of said washing solution.

81-85. (canceled)

86. (previously presented) The process of claim 62, wherein said first processing solution or said extracting solution comprises at least one of sodium chloride, potassium chloride, lithium chloride, calcium chloride, sodium phosphate, calcium hydroxide, potassium sulfate, lithium sulfate, calcium phosphate, potassium phosphate, lithium phosphate, ammonium chloride, magnesium chloride, and calcium sulfate.

87. (previously presented) The process of claim 56, wherein said extracting is carried out for a time period of from about 6 hours to about 24 hours.

88. (previously presented) The process of claim 87, wherein said extracting is carried out for a time period of from about 12 hours to about 16 hours.

89. (previously presented) The process of claim 56, wherein said extracting is carried out at a temperature of from about 4 °C to about 42 °C.

DOCKET NUMBER: 95176562-004002 (64230-00004USD1)
PATENT

90. (previously presented) The process of claim 89, wherein said extracting is carried out at a temperature of from about 20 °C to about 27 °C.

91-92. (canceled)

93. (withdrawn) The process of claim 31, said optionally treating is carried out for a time period of at least about 3 hours.

94-95. (canceled)

96. (previously presented) The process of claim 58, wherein said nonionic detergents are at a concentration of from about 0.001% (w:v) to about 10% (w:v).

97. (previously presented) The process of claim 96, wherein said nonionic detergents are at a concentration of from about 0.1% (w:v) to about 2% (w:v).

98. (previously presented) The process of claim 61, wherein said anionic detergents are at a concentration of from about 0.001% (w:v) to about 4% (w:v).

99. (previously presented) The process of claim 98, wherein said anionic detergents are at a concentration of from about 0.1% (w:v) to about 2% (w:v).

100-101. (canceled)

102. (previously presented) The process of claim 86, wherein said first processing solution or said extracting solution comprises at least one of calcium chloride, calcium hydroxide, magnesium chloride, lithium chloride, potassium chloride, and sodium chloride.

103. (withdrawn) An acellular tissue graft, comprising a soft tissue sample substantially free

DOCKET NUMBER: 95176562-004002 (64230-00004USD1)
PATENT

from cellular elements produced by the process as claimed in claim 102, wherein recellularization of said acellular tissue graft in vivo or in vitro, is retarded.

104. (withdrawn) An acellular tissue graft, comprising: a soft tissue sample substantially free from cellular elements, and calcium ion precipitated anionic detergent.

105. (withdrawn) An acellular tissue graft, comprising a soft tissue sample substantially free from cellular elements and calcium ion precipitated anionic detergent, produced by the process as claimed in claim 102, wherein recellularization of said acellular tissue graft in vivo or in vitro, is retarded.

106. (withdrawn) The acellular tissue graft of any one of claims 104 or 105, said calcium ion precipitated anionic detergent is present in an amount of at least 1.0 $\mu\text{mole/mg}$ wet weight of tissue.

107. (withdrawn) The acellular tissue graft of claim 106, said calcium ion precipitated anionic detergent is present in an amount of from about 0.1 wt % to about 10.0 wt %.

108. (previously presented) An acellular tissue graft prepared by the process of claim 56, wherein said anionic detergent is SDS and is present at a concentration of about 0.001 wt %.

109. (previously presented) A process for preparing an acellular soft tissue graft comprising:
extracting at least one soft tissue sample with an alkaline hypotonic buffered extracting solution to produce extracted tissue;
treating said extracted tissue with a treating solution comprising a hypertonic salt solution to produce a treated tissue;
treating said treated tissue, with a first processing solution to produce a first processed tissue;
treating said first processed tissue with a second treating solution to produce a second treated tissue;

DOCKET NUMBER: 95176562-004002 (64230-00004USD1)
PATENT

washing said second treated tissue, in at least one washing solution comprising water to produce washed tissue; and

storing said washed tissue in a storage solution comprising at least one decontaminating agent and water,

wherein said extracting solution comprises at least one nonionic detergent and at least one endonuclease, said first processing solution comprises a first hypertonic salt solution and at least one anionic detergent, and said second processing solution comprises a second hypertonic salt solution.

110. (withdrawn) An acellular tissue graft, comprising: a soft tissue sample substantially free from cellular elements produced by the process as claimed in any of claims 56 or 109, wherein said acellular tissue graft retains dimensions approximate to said soft tissue sample prior to processing.

111. (withdrawn) The acellular tissue graft of claim 110, wherein said extracting solution comprises 0.24 wt % sodium dodecylsulfate in 0.5 M sodium chloride.

112. (withdrawn) An acellular tissue graft, comprising: a soft tissue sample substantially free from cellular elements produced by the process as claimed in any of claims 56 or 108, wherein said acellular tissue graft retains tensile properties approximate to tensile properties of said soft tissue sample prior to processing.

113. (withdrawn) The acellular tissue graft of claim 112, said soft tissue sample is a heart valve, and wherein said acellular heart valve leaflets maintain normal coaptation.

114. (withdrawn) The acellular tissue graft of claim 110, wherein tissue retaining lower amounts of SDS and/or CaDS, recellularizes more quickly in vivo and/or in vitro than tissues retaining higher amounts of SDS and/or CaDS.

115. (withdrawn) An acellular tissue graft, comprising a soft tissue sample substantially free

DOCKET NUMBER: 95176562-004002 (64230-00004USD1)
PATENT

from cellular elements, and precipitated anionic detergent present in an amount effective to enhance recellularization of said acellular tissue in vivo or in vitro.

116. (withdrawn) An acellular tissue graft, comprising a soft tissue sample substantially free from cellular elements, and precipitated anionic detergent present in an amount effective to enhance recellularization of said acellular tissue in vivo or in vitro, produced by the process as claimed in claim 102, wherein recellularization of said acellular tissue in vivo or in vitro is enhanced.

117. (withdrawn) The acellular tissue graft of any one of claims 115 or 116, said precipitated anionic detergent is present at a concentration of no more than 20 wt %.

118. (withdrawn) The acellular tissue graft of claim 117, said precipitated anionic detergent is present at a concentration of from about 0.2 wt % to about 2.0 wt %.

119. (withdrawn) A method for modulating recellularization of an acellular soft tissue graft upon implantation of said acellular soft tissue graft in a mammalian system, comprising: precipitating an amount of anionic detergent in a tissue sample, said amount precipitated is effective to enhance or retard recellularization of said acellular soft tissue graft.

120. (withdrawn) An acellular soft tissue graft, comprising: a soft tissue sample essentially free from cellular elements and precipitated anionic detergent, produced by the process as claimed in claim 119.

121. (previously presented) An acellular tissue graft prepared by the process of claim 56 or claim 109.

122. (previously presented) The tissue graft of claim 121, wherein the graft is essentially non-immunogenic.

DOCKET NUMBER: 95176562-004002 (64230-00004USD1)
PATENT

123. (previously presented) The tissue graft of claim 121, wherein the graft has essentially the same tensile properties as the soft tissue sample.

124. (previously presented) The tissue graft of claim 121, wherein the tissue sample is a vein, an artery, or a heart valve.

125. (previously presented) The tissue graft of claim 121, wherein the tissue sample is a ligament or a tendon.

126. (previously presented) The tissue graft of claim 121, wherein the tissue sample is fascia, dura mater, pericardium or skin.

127. (previously presented) The tissue graft of claim 121, wherein the graft remains acellular post implantation.

128. (previously presented) The tissue graft of claim 121, wherein the graft remains acellular for at least 6 months post implantation.

129. (previously presented) The tissue graft of claim 121, wherein the graft re-endothelializes on a luminal surface 3 to 6 months post implantation.

130. (previously presented) The tissue graft of claim 121, wherein the tissue sample is cartilage.

131. (previously presented) An acellular tissue graft, comprising a soft tissue sample substantially free from cellular elements and calcium ion precipitated nonionic detergent, produced by the process of claim 56 or claim 109, wherein recellularization of said acellular tissue graft *in vivo* or *in vitro* is retarded.

132. (previously presented) the tissue graft of claim 131, wherein the tissue sample is cartilage.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.